



Test
TS EN ISO/IEC 17025
AB-0342-T

AB-0342-T

144443299

08/26

TÜV Rheinland
Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.
Saniye Ermutlu Sokak Çolakoğlu Plaza B Blok No :12 Kozyatağı-İSTANBUL

Page 1 of 7

Test Report

SOYTAŞ YAPI ENDÜSTRİ SANAYİ VE TİCARET A.Ş.

Akçaburgaz Mah. 3023 Sk. No:9/11 Esenyurt İstanbul

Report No. 144443299
Buyer /
Test Item. : PANASTONE PVC/SPC WALL AND FLOOR COVERINGS
Item No. : Glossy Panel, Matte Panel, Raw Panel
Manufacturer : /
Fiber Content. : /
Colour Name. : /
Test Scope. : Customer selected parameters
Test Specification. : Test results have been evaluated acc. to REACH Annex 17.

**Applicant's Provided
Care Instruction/Label:** -

Sample Receiving date: 2026-08-12
Testing Period: 2026-08-14 to 2026-08-18
Report Date: 2026-08-18
Test Result: Pass

TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş. accredited by TÜRKAK under registration number AB-0342-T for ISO/IEC 17025-2017 as test laboratory

The Turkish Accreditation Agency (TÜRKAK) is signatory to the multilateral agreements of the European co-operation for the Accreditation (EA) and of the International Laboratory Accreditation (ILAC) for the Mutual recognition of the test reports.

The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following, pages which are part of this report

For and on behalf of
TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.

Elif Kocasalli / CR Assistant
Project Manager

Kivanc Karatas / Chemical
Laboratory Manager

TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.

Kozyatagi Mah. Saniye Ermutlu Sok. No:12
Colakoglu Plaza B Blok 34742 Kadikoy Istanbul,
Tel. +902166653200, Fax +902166653299, e-mail: info@tr.tuv.com

The results given in this report belong to the received sample by vendor.

This test report shall not be reproduced other than in full except with the permission of the laboratory. Testing reports without signature and seal are not valid.

This test report is signed by digital signature.

TÜV Rheinland testing laboratories apply the Zero Guard band rule for statement of conformity evaluation, unless other decision rule is required by the customer.

AB-0342-T
144443299
08/26


Test Result Summary :***Test Specification:***

- 1 Heavy Metal content
- 2 Phthalates content
- 3 Polycyclic aromatic hydrocarbons (PAHs)
- 4 Short Chain Chlorinated Paraffin (C10-C13) (SCCP) and Medium Chain Chlorinated Paraffins (C14 - C17) (MCCP)
- 5 Nickel Release
- 6 Azo Dyes
- 7 DMFu

Test result:

PASS
PASS
PASS
PASS
N/A
N/A
N/A

1. Photo



2. List of Materials

Material List:

Material No.	Material	Color	Location
M001	PVC	Beige	PVC/SPC Wall Panels- Yellow Traverten

AB-0342-T
144443299
08/26

1.Heavy Metal content

Test Method: Acid digestion, analyzed by ICP-MS

Test Result:

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Test Result
T001	M001	Lead	mg/kg	10	500	n.d.
		Cadmium	mg/kg	10	100	n.d.

Abbreviation: n.d. = not detected (< Reporting Limit)
RL = Reporting Limit
ppm = parts per million
mg/kg = milligram per kilogram

AB-0342-T
144443299
08/26

2. Phthalates content

Test Method: Ref. to CPSC-CH-C1001-09.4

Test Result:

Test No. T001					T001
Material No. M001					M001
Test Parameter	CAS NO	Unit	RL	Regulatory Requirement	Result
Diethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	n.d.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	mg/kg	50	1000	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	n.d.
Sum (DEHP+DBP+BBP+DIBP)	-	mg/kg	50	1000	
Di(methoxyethyl) phthalate (DMEP)	117-82-8	mg/kg	50	1000	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	mg/kg	50	1000	n.d.
Diisopentyl phthalate (DiPP)	605-50-5	mg/kg	50	1000	n.d.
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	n.d.
Diisohexyl phthalate	71850-09-4	mg/kg	50	1000	n.d.
Sum of above Phthalates	--	mg/kg	50	1000	n.d.

Abbreviation: n.d. = not detected (< Reporting limit)
 RL = Reporting Limit
 % = percentage

AB-0342-T
144443299
08/26

3. Polycyclic aromatic hydrocarbons (PAHs)

Test Method: AfPS GS 2019:01 PAK

Test Result:

Test No.				T001
Material No.				M001
Test Parameter	CAS NO	Unit	RL	Result
Benzo[a]anthracene	56-55-3	mg/kg	0.1	n.d.
Benzo[a]pyrene(BaP)	50-32-8	mg/kg	0.1	n.d.
Benzo[b]fluoranthene	205-99-2	mg/kg	0.1	n.d.
Benzo[k]fluoranthene	207-08-9	mg/kg	0.1	n.d.
Benzo[j]fluoranthene	205-82-3	mg/kg	0.1	n.d.
Benzo[e]pyrene	192-97-2	mg/kg	0.1	n.d.
Chrysene	218-01-9	mg/kg	0.1	n.d.
Dibenzo[a,h]anthracene	53-70-3	mg/kg	0.1	n.d.

Abbreviation: < = less than
RL = Reporting Limit
NA = Not Applicable
mg/kg = milligram per kilogram

Remark:

* Limit for each single and total PAHs: 0,5 mg/kg

** Single components with an amount of <0.1 mg/kg were not considered by the calculation of the sum. In the case of all 8 PAHs were not detected, the result is stated < RL

AB-0342-T
144443299
08/26

4.Short Chain Chlorinated Paraffin (C10-C13) (SCCP) and Medium Chain Chlorinated Paraffins (C14 - C17) (MCCP)

Test Method: ref. to EN ISO 18219-1:2021/ ISO 18219-2:2021

Test result:

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Result
T001	M001	SCCP	%	0.01	0.15	n.d.

Abbreviation: < = less than

RL = Report Limit

SCCP = Short Chain Chlorinated Paraffin (C₁₀-C₁₃)

MCCP = Medium Chain Chlorinated Paraffins (C14 - C17)

% = percentage

Remark:

- ** According to Toys Criteria Catalogue, 2 PfG S 0160/01.2019 for TÜV PROOF, Toy, the maximum permissible limit of short chain chlorinated paraffin, (SCCP): less than or equal to 0.1%.
- *** According to customer's instruction, the maximum permissible limit of Short Chain Chlorinated Paraffin (SCCP) shall not contain more than 0.1% .
- **** According to customer's instruction, the maximum permissible limit of Medium Chain Chlorinated Paraffin (MCCP) shall not contain more than 0.1% .

- END -